

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trudemark Office Address: COMMISSIONER FOR PATENTS P O. Box 1450 Alexandra, Virginta 22313-1450 www.septic.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|--|----------------------|---------------------|------------------|
| 09/922,884 | 08/06/2001 | Gregory J. Mesaros | GEDP101USE | 9136 |
| 23623 7590 05005/2011 TUROCY & WATSON, LLP 127 Public Square | | | EXAMINER | |
| | | | NGUYEN, CUONG H | |
| | 57th Floor, Key Tower CLEVELAND, OH 44114 | | ART UNIT | PAPER NUMBER |
| | | | 3661 | |
| | | | | |
| | | | NOTIFICATION DATE | DELIVERY MODE |
| | | | 05/05/2011 | ELECTRONIC |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket1@thepatentattorneys.com hholmes@thepatentattorneys.com setoori@thepatentattorneys.com

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Ex parte GREGORY J. MESAROS

Appeal 2010-005163 Application 09/922,884 Technology Center 3600

Before DALE M. SHAW, Division 2 Support Administrator.

ORDER DISMISSING APPEAL

On March 21, 2008, Appellant filed a Notice of Appeal. On April 27, 2011, Appellant filed a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114. The RCE will be treated as a request to withdraw the appeal.

Accordingly, the appeal in this application is dismissed.

The application is being returned to the Examiner for further action as may be appropriate.

Appeal 2010-005163 Application 09/922,884

If there are any questions pertaining to this Order, please contact the Board of Patent Appeals and Interferences at 571-272-9797.

DMS:hh

TUROCY & WATSON, LLP 127 Public Square 57th Floor, Key Tower CLEVELAND, OH 44114